Release Notes

Illustra 400 Series Firmware Release 3.06

Model	Description	Product Data
ADCi400-D01x	Illustra 400 fixed dome .2/3 MP 3.3-12mm TDN WDR PoE	Visit the IP Cameras section of our web site –
ADCi400-D021	Illustra 400 fixed dome 2/3 MP 3.3-12mm TDN WDR PoE	www.americandynamics.net – to download datasheets and other documentation in PDF format.
ADCi400-X002	Illustra 400 box 2/3 MP w/out lens TDN WDR PoE PAL	
ADCi400-X001	Illustra 400 box 2/3 MP w/out lens TDN WDR PoE NTSC	
ADCi400-B02x	Illustra 400 Bullet 2/3 MP 3.3-12mm TDN WDR PoE indoor/outdoor white IR illuminator	
ADCi400-D03x	Illustra 400 fixed dome 2/3 MP 3.3-12mm TDN WDR PoE Indoor black	
ADCi400-D04x	Illustra 400 fixed dome 2/3 MP 3.3-12mm TDN WDR PoE vandal resistant outdoor black	
ADCi400-B04x	Illustra 400 Bullet 2/3 MP 3.3-12mm TDN WDR PoE indoor/outdoor black IR illuminator	
ADCi400-D05x	Illustra 400 fixed dome 2/3 MP 3.3-12mm TDN WDR PoE Indoor silver	
ADCi400-D06x	Illustra 400 fixed dome 2/3 MP 3.3-12mm TDN WDR PoE vandal resistant outdoor silver	
ADCi400-B06x	Illustra 400 Bullet 2/3 MP 3.3-12mm TDN WDR PoE indoor/outdoor silver IR illuminator	

Note

In case of discrepancy, the information in this document supersedes the information in any document referenced herein.

8200-2745-07 A0



What's in This Release

This firmware release adds the following improvements to the i400 Series IP Cameras

- ONVIF Profile S support
- Correction of the "white-out" or over exposure issue reported with the i400 Box cameras



Firmware Upgrade

Note: As part of the Firmware upgrade procedure we recommend users refresh their browser cache.

Camera firmware must be downloaded from the American Dynamics website and can be installed using either Illustra Connect or the utility in the camera web interface.

Note: Insure your camera does not lose power during the firmware upgrade process.

Using Illustra Connect

- 1. Install and launch the illustra Connect software utility
- 2. Select the camera needing firmware upgrade from the list of found cameras
- 3. Right click on the camera in the list and select Upgrade Firmware
- 4. Select Choose File to find the firmware upgrade file on your system

Note: The file-type selection filter may need to be changed to "All Files"

Using the Camera Web Interface

- 1. Using Internet Explorer, connect to the camera IP address
- 2. At the top of the page, select Setup
- 3. Select System and then select Firmware Upgrade
- 4. Select Browse and find the firmware file
- 5. Select Start and wait until the timer has counted down

